NEUROSCIENCE LETTERS

Vol. 143 Nos. 1,2 **CONTENTS** **AUGUST 31st, 1992**

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Announcement from the Publisher v

Apamin reduces the late afterhyperpolarization of lamprey spinal neurons, with little effect on fictive swimming
D.P. Meer and J.T. Buchanan (USA) 1

EPSPs in rat neocortical pyramidal neurones in vitro are prolonged by NMDA receptor-mediated currents
A. Nicoll, A. Larkman and C. Blakemore (UK) 5

Dimensional analysis of the human EEG and intelligence
W. Lutzenberger, N. Birbaumer, H. Flor, B. Rockstroh and T. Elbert (FRG, Italy) 10

Expression of the dopaminergic phenotype in the olfactory bulb: neither calcitonin gene-related peptide nor olfactory input is necessary
T.E. Finger and B. Böttger (USA) 15

Release of calcitonin gene-related peptide-like (CGRP-LI) immunoreactivity from rat isolated soleus muscle by low pH, capsaicin and potassium
P. Santicioli, E. Del Bianco, P. Geppetti and C.A. Maggi (Italy) 19

Quantification of plaque types in sulci and gyri of the medial frontal lobe in patients with Alzheimer's disease
J.E. McKenzie, S.M. Gentleman, M.C. Royston, R.J. Edwards and G.W. Roberts (UK) 23

Blockade of nitric oxide formation does not prevent glutamate-induced neurotoxicity in neuronal cultures from rat hippocampus
P.J. Pauwels and J.E. Leysen (Belgium) 27

Eyeblinks evoke potentials in the occipital brain region
M. Heuser-Link, G. Dirlich, P. Berg, L. Vogl and M. Scherg (FRG) 31

Glial fibrillary tangles with straight tubules in the brains of patients with progressive supranuclear palsy
M. Nishimura, Y. Namba, K. Ikeda and M. Oda (Japan) 35

The non-NMDA glutamate antagonist NBQX blocks the local hippocampal toxicity of kainic acid, but not the diffuse extrahippocampal damage
G.J. Lees and W. Leong (New Zealand) 39

Protease 'Clipsin' extract activity reflects demographic characteristics of human brain
G.C. Stratmann, M.-T. Webster, P.T. Francis, A.W. Procter and D.M. Bowen (UK) 43

Oestrogen infusions into the amygdala potentiate excitatory transmission from the accessory olfactory bulb to tuberoinfundibular arcuate neurones in the mouse
C.-S. Li, H. Kaba, H. Saito and K. Seto (Japan) 48

Calcineurin, a calcium/calmodulin-regulated protein phosphatase, in mammalian neuroendocrine cells and neoplasms
S. Goto, S. Nagahiro, Y. Ushio and A. Hirano (Japan, USA) 51

Two populations of cells that express preprocholecystokinin mRNA in ventral periaqueductal grey
M. Rattray, D. Savery, G. Wotherspoon, J.V. Priestley and G.S. Smith (UK) 55

Colocalization of nitric oxide synthase and NADPH-diaphorase in the myenteric plexus of the rat gut
A. Belai, H.H.H.W. Schmidt, C.H.V. Hoyle, C.J.S. Hassall, M.J. Saffrey, J. Moss, U. Förstermann, F. Murad and G. Burnstock (UK, USA) 60

Nitric oxide synthase immunoreactivity and NADPH-diaphorase activity in a subpopulation of intrinsic neurones of the guinea-pig heart
C.J.S. Hassall, M.J. Saffrey, A. Belai, C.H.V. Hoyle, E.W. Moules, J. Moss, H.H.H.W. Schmidt, F. Murad, U. Förstermann and G. Burnstock (UK, USA) 65

A possible neural source of nitric oxide in the rat penis
J.R. Keast (Australia) 69

Kindling and electrode effects on the benzodiazepine receptors density of olfactory bulb and hippocampus after olfactory bulb kindling
M. Ben Attia, P. N'Gouemo, M. Belaidi, G. Rondouin and R. Chicheportiche (France) 74

Effects of hexamethonium on transmitter release from the rat phrenic nerve
D.F. Wilson and R.H. Thomsen (USA) 79

Excitatory synaptic transmission mediated by NMDA and non-NMDA receptors in the superficial/middle layers of the epileptogenic human neocortex maintained in vitro
G.G.C. Hwa and M. Avoli (Canada) 83

Post-training medial septal stimulation improves spatial information processing in BALB/c mice
D. Galey and R. Jaffard (France) 87

Contents continued on p. 279

This journal is printed on acid-free paper.

NEUROSCIENCE LETTERS

Vol. 143 Nos. 1,2 **CONTENTS** **AUGUST 31st, 1992**

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Announcement from the Publisher v

Apamin reduces the late afterhyperpolarization of lamprey spinal neurons, with little effect on fictive swimming
D.P. Meer and J.T. Buchanan (USA) 1

EPSPs in rat neocortical pyramidal neurones in vitro are prolonged by NMDA receptor-mediated currents
A. Nicoll, A. Larkman and C. Blakemore (UK) 5

Dimensional analysis of the human EEG and intelligence
W. Lutzenberger, N. Birbaumer, H. Flor, B. Rockstroh and T. Elbert (FRG, Italy) 10

Expression of the dopaminergic phenotype in the olfactory bulb: neither calcitonin gene-related peptide nor olfactory input is necessary
T.E. Finger and B. Böttger (USA) 15

Release of calcitonin gene-related peptide-like (CGRP-LI) immunoreactivity from rat isolated soleus muscle by low pH, capsaicin and potassium
P. Santicioli, E. Del Bianco, P. Geppetti and C.A. Maggi (Italy) 19

Quantification of plaque types in sulci and gyri of the medial frontal lobe in patients with Alzheimer's disease
J.E. McKenzie, S.M. Gentleman, M.C. Royston, R.J. Edwards and G.W. Roberts (UK) 23

Blockade of nitric oxide formation does not prevent glutamate-induced neurotoxicity in neuronal cultures from rat hippocampus
P.J. Pauwels and J.E. Leysen (Belgium) 27

Eyeblinks evoke potentials in the occipital brain region
M. Heuser-Link, G. Dirlich, P. Berg, L. Vogl and M. Scherg (FRG) 31

Glial fibrillary tangles with straight tubules in the brains of patients with progressive supranuclear palsy
M. Nishimura, Y. Namba, K. Ikeda and M. Oda (Japan) 35

The non-NMDA glutamate antagonist NBQX blocks the local hippocampal toxicity of kainic acid, but not the diffuse extrahippocampal damage
G.J. Lees and W. Leong (New Zealand) 39

Protease 'Clipsin' extract activity reflects demographic characteristics of human brain
G.C. Stratmann, M.-T. Webster, P.T. Francis, A.W. Procter and D.M. Bowen (UK) 43

Oestrogen infusions into the amygdala potentiate excitatory transmission from the accessory olfactory bulb to tuberoinfundibular arcuate neurones in the mouse
C.-S. Li, H. Kaba, H. Saito and K. Seto (Japan) 48

Calcineurin, a calcium/calmodulin-regulated protein phosphatase, in mammalian neuroendocrine cells and neoplasms
S. Goto, S. Nagahiro, Y. Ushio and A. Hirano (Japan, USA) 51

Two populations of cells that express preprocholecystokinin mRNA in ventral periaqueductal grey
M. Rattray, D. Savery, G. Wotherspoon, J.V. Priestley and G.S. Smith (UK) 55

Colocalization of nitric oxide synthase and NADPH-diaphorase in the myenteric plexus of the rat gut
A. Belai, H.H.H.W. Schmidt, C.H.V. Hoyle, C.J.S. Hassall, M.J. Saffrey, J. Moss, U. Förstermann, F. Murad and G. Burnstock (UK, USA) 60

Nitric oxide synthase immunoreactivity and NADPH-diaphorase activity in a subpopulation of intrinsic neurones of the guinea-pig heart
C.J.S. Hassall, M.J. Saffrey, A. Belai, C.H.V. Hoyle, E.W. Moules, J. Moss, H.H.H.W. Schmidt, F. Murad, U. Förstermann and G. Burnstock (UK, USA) 65

A possible neural source of nitric oxide in the rat penis
J.R. Keast (Australia) 69

Kindling and electrode effects on the benzodiazepine receptors density of olfactory bulb and hippocampus after olfactory bulb kindling
M. Ben Attia, P. N'Gouemo, M. Belaidi, G. Rondouin and R. Chicheportiche (France) 74

Effects of hexamethonium on transmitter release from the rat phrenic nerve
D.F. Wilson and R.H. Thomsen (USA) 79

Excitatory synaptic transmission mediated by NMDA and non-NMDA receptors in the superficial/middle layers of the epileptogenic human neocortex maintained in vitro
G.G.C. Hwa and M. Avoli (Canada) 83

Post-training medial septal stimulation improves spatial information processing in BALB/c mice
D. Galey and R. Jaffard (France) 87

Contents continued on p. 279

This journal is printed on acid-free paper.

CONTENTS *(continued from the back cover)*

Serotonergic modulation of the respiratory rhythm generator at birth: an in vitro study in the rat
E. Di Pasquale, D. Morin, R. Monteau and G. Hilaire (France) 91
Strong immunoreactivity of β-amyloid precursor protein, including the β-amyloid protein sequence, at human neuromuscular junctions
V. Askanas, W.K. Engel and R.B. Alvarez (USA) 96
Hippocampal nerve growth factor receptor immunoreactivity in patients with Alzheimer's and Parkinson's disease
J.M. Kerwin, C.M. Morris, R.H. Perry and E.K. Perry (UK) 101
N-Methyl-D-aspartate (NMDA)-mediated muscle relaxant action of memantine in rats
M. Schwarz, F. Block and K.-H. Sontag (FRG) 105
Interleukin-6 and leukemia inhibitory factor promote the survival of acetylcholinesterase-positive neurons in culture from embryonic rat spinal cord
Y. Kushima and H. Hatanaka (Japan) 110
Monensin can transport calcium across cell membranes in a sodium independent fashion in the crayfish *Procambarus clarkii*
R.M. Mulkey and R.S. Zucker (USA) 115
A postsynaptic GABA transporter in rat spinal motor neurones
H. Snow, M.B. Lowrie and J.P. Bennett (UK) 119
A novel inositol phosphate selectively inhibits vasoconstriction evoked by the sympathetic co-transmitters neuropeptide Y (NPY) and adenosine triphosphate (ATP)
C. Wahlestedt, D.J. Reis, H. Yoo, M. Adamsson, D. Andersson and L. Edvinsson (USA, Sweden) 123
Oxiracetam prevents the hippocampal cholinergic hypofunction induced by the NMDA receptor blocker AP7
P. Belfiore, F. Ponzio, R. Biagetti, C. Berettera, M. Magnani and O. Pozzi (Italy) 127
Excitatory amino acid receptors involved in primary afferent-evoked polysynaptic EPSPs of substantia gelatinosa neurons in the adult rat spinal cord slice
M. Yoshimura and S. Nishi (Japan) 131
Uneven distribution of intracellular Cl^- in rat hippocampal neurons
M. Hara, M. Inoue, T. Yasukura, S. Ohnishi, Y. Mikami and C. Inagaki (Japan) 135
In vitro quantitative autoradiography of [^{125}I]α-bungarotoxin binding at the motor end-plates of experimental autoimmune myasthenia gravis
M. Motomura, M. Niwa, Y. Kataoka, I. Ootsuru, T. Yoshimura, M. Tsujihata and S. Nagataki (Japan) 139
Differential subcellular distribution of PC1, PC2 and furin in bovine adrenal medulla and secretion of PC1 and PC2 from this tissue
R. Kirchmair, C. Egger, P. Gee, R. Hogue-Angeletti, R. Fischer-Colbrie, A. Laslop and H. Winkler (Austria, USA) 143
Cyclic AMP alteration of chloride transport into the choroid plexus-cerebrospinal fluid system
Q.-S. Deng and C.E. Johanson (USA) 146
Responses of regional cerebral blood flow to intravenous administration of thyrotropin releasing hormone in aged rats
O. Inanami, K. Ohno and A. Sato (Japan) 151
Convergence of excitatory inputs from the chorda tympani, glossopharyngeal, and vagus nerves onto inferior salivatory nucleus neurons in the cat
K. Ishizuka and T. Murakami (Japan) 155
Long-term serotonin reinnervation of the suprachiasmatic nucleus after 5,7-dihydroxytryptamine axotomy in the adult rat
O. Bosler, G. Vuillon-Cacciuttolo and H. Saïdi (France) 159
Modulation of neonatal rat hypoglossal motoneuron excitability by serotonin
A.J. Berger, D.A. Bayliss and F. Viana (USA) 164
The substance P (NK_1) receptor antagonist (±)-CP-96,345 causes sedation and motor impairment in Swiss albino mice in the black-and-white box behavioral paradigm
G. Zernig, H. Dietrich, C.A. Maggi and A. Saria (Austria, Italy) 169
Stimulation of the nucleus basalis of Meynert increases cortical cerebral blood flow without influencing diameter of the pial artery in rats
T. Adachi, D.G. Baramidze and A. Sato (Japan) 173
Quisqualic acid-induced neurotoxicity is protected by NMDA and non-NMDA receptor antagonists
K.S. Pai and V. Ravindranath (India) 177
Capsaicin prevents the adrenocorticotropin-induced improvement of cardiovascular function and survival in hemorrhage-shocked rats
S. Guarini, C. Bazzani, S. Tagliavini, A. Bertolini and W. Ferrari (Italy) 181

Hypoglycemia-activated K^+ channels in hippocampal neurons
C. Tromba, A. Salvaggio, G. Racagni and A. Volterra (Italy) 185
Neuropeptide FF is colocalized with catecholamine-synthesizing enzymes in neurons of the nucleus of the solitary tract
L. Kivipelto, A. Aarnisalo and P. Panula (Finland) 190
Volume regulation of single astroglial cells in primary culture
P.S. Eriksson, M. Nilsson, M. Wågberg, L. Rönnbäck and E. Hansson (Sweden) 195
Distribution of cannabinoid receptor messenger RNA in the human brain: an in situ hybridization histochemistry with oligonucleotides
P. Mailleux, M. Parmentier and J.-J. Vanderhaeghen (Belgium) 200
Interconnections between the pretectum and visual thalamus in reptiles, *Caiman crocodilus*
M.B. Pritz and M.E. Stritzel (USA) 205
Release of endogenous benzodiazepine receptor ligands (endozepines) from cultured neurons
J.D. Rothstein, A. Guidotti and E. Costa (USA) 210
Quantitfication of D-aspartate in normal and Alzheimer brains
G.H. Fisher, A. D'Aniello, A. Vetere, G.P. Cusano, M. Chávez and L. Petrucelli (USA, Italy) 215
Melatonin binding to the anteroventral and anterodorsal thalamic nuclei in the rat
O.F.C. Lindroos, L.M. Leinonen and M.-L. Laakso (Finland) 219
Mating behavior induces selective expression of Fos protein within the chemosensory pathways of the male Syrian hamster brain
S.S. Kollack and S.W. Newman (USA) 223
A novel inhibitor of glutamate release reduces excitotoxic injury in vitro
H.S. Lustig, K.L. von Brauchitsch, J. Chan and D.A. Greenberg (USA) 229
Expression of neurofibromin, the neurofibromatosis 1 gene product: studies in human neuroblastoma cells and rat brain
D.P. Huynh, C.T. Lin and S.M. Pulst (USA) 233
Thalamocortical connections of rat posterior parietal cortex
H.C. Chandler, V. King, J.V. Corwin and R.L. Reep (USA) 237
Spinal locomotor activity in acutely spinalized cats induced by intrathecal application of noradrenaline
O. Kiehn, H. Hultborn and B.A. Conway (Denmark, UK) 243
Decreased cerebrospinal fluid neuropeptide-converting enzyme activity in monoarthritic rats
S. Persson, C. Post, J. Weil-Fugazza, S.H. Butler and F. Nyberg (Sweden, France, USA) 247
Regional differences in the distribution of capsaicin-sensitive target-identified adult rat dorsal root ganglion neurons
M. Hu-Tsai, J. Winter and C.J. Woolf (UK) 251
Effect of furosemide treatment on the central and peripheral pressor responses to cholinergic and adrenergic agonists, angiotensin II, hypertonic solution and vasopressin
D.S. de Almeida Colombari, E. Colombari, W.A. Saad, L.A. de Arruda Camargo, A. Renzi, L.A. de Luca Jr. and J. Vanderlei Menani (Brazil) 255
Enriched environment primes forebrain choline acetyltransferase activity to respond to learning experience
G.A.S. Park, B.A. Pappas, S.M. Murtha and A. Ally (Canada) 259
Unilateral EEG activation during sleep in the Cape fur seal, *Arctocephalus pusillus*
O.I. Lyamin and I.S. Chetyrbok (Russia) 263
Production of specific antibody against L-DOPA and its ultrastructual localization of immunoreactivity in the house-shrew (*Suncus murinus*) lateral habenular nucleus
N. Karasawa, G. Isomura and I. Nagatsu (Japan) 267
Central nervous system neurons labelled following the injection of pseudorabies virus into the rat urinary bladder
I. Nadelhaft, P.L. Vera, J.P. Card and R.R. Miselis (USA) 271

Author Index 275

Contents 279